

DIGITAL COATING THICKNESS METER



MODEL NO. - ACM- 52307



DIGITAL COATING

THICKNESS METER



MODEL NO. - ACM- 52307

DIGITAL COATING

THICKNESS METER

Pocket size and tallboy type coating thickness meter with built-in probe. Simple layout of the keys allows us to easily operate with a single hand the setting of the characteristics of substrates by means of zero adjustment and standard calibration.

TECHNICAL SPECIFICATIONS

- **Range:** 0 to 999 μm to 3.00mm
- **Accuracy:** $\pm 1 \mu\text{m}$ or $\pm 3\%$ of reading
- **Probe:** 1-point contact type with V groove
- **Add. Function:** 0.1 μm (under 100 μm)
- **Power:** Dry battery R03 (1.5V)-2
- **Dimensions and Weight:** 56-109-34mm, 140g



An ISO 9001 : 2208 | ISO 14001 : 2008 | ISO 13485
WHO: GMP Products | GLP Compliant Products

www.acmasindia.com | www.acmasglobal.com | www.test-chambers.com

ACMAS TECHNOLOGIES PVT. LTD.

CORPORATE OFFICE/ SHOWROOM (INDIA)

Plot No. 352-353, Sector – 57
Phase- IV Kundli, Sonapat, Haryana - 131028
Land Line No.: +91 - 11- 47619688,
Fax: +91-11-47619788
E-mail.: info@acmasindia.com

SALES OFFICE (HONG KONG)

Unit D 28 11/F Wing Tat Comm,Bidg 97, Bonham Strand East,
Sheung Wan, Hong Kong (PRC)
Tel.: 0086-13929598046 | 0086- 18922303099
E-mail.: hk@acmasindia.com

SALES OFFICE (RUSSIA)

Inmed Trade Street Ozerkovsky Embankment,
Unit No 50, Straine- 1, Off- 502, Moscow, Russia
E-mail.: info@acmasindia.com
Tel.: 0049- 79592345 | Email: russia@acmasindia.com