


WEIBER
Soil Moisture Meters



WEIBER Soil Moisture Meters

WEIBER Soil Moisture Meters



Technical Features

Usage	Soil / Clay
Display	Large Liquid Crystal Display (LCD)
Measuring Range	7 % ~ 40 %
Sensitivity	+/- 3%
Sensor	580 mm
Temp. Compensation	Automatic
Power	Normal 1.5 Volt Battery
Readability	+/- 0.2 %
Dimensions	155 mm (L) X 170 mm (W) X 26 mm (D)
Weight	2800 gms

Basic Features of Soil Moisture Meter

- Easy Usage
- Compact Design.
- Sturdy Housing.
- High Accuracy.
- High Repeatability
- Large Display (LCD)
- Solid State Micro-Based Technology
- Fast Display Of Results (2 second)
- Automatic Temperature Correction/Compensation
- Long Lasting Battery
- Low Battery Indication Display



We are having **Representatives in 55 Countries**

please visit our

International Dealers Section

to contact your nearest **ACMAS** Representative



TECHNOLOGY with **HUMAN TOUCH**

WEIBER Soil Moisture Meters



An ISO 9001:2208 | ISO 14001:2008 | ISO 13485
WHO:GMP Products | GLP Compliant Products

www.acmasindia.com | www.scientificlaboratoryequipments.com | www.measuring-meters.com

ACMAS TECHNOCRACY PVT. LTD.

SALES OFFICE (INDIA)

312-313, Vardhman Capital Mall, L.S.C. 10, GulabiBagh, Delhi-110052, INDIA

Tel: 0091-11-23646703, 23643054

(M) +91-9313971681 | Email: india@acmasindia.com

SALES OFFICE (HONG KONG)

Unit D 28 11/f Wing Tat Comm, Bldg 97, Bonham Strand East, Sheung Wan, HONG KONG (PRC).

Tel: 0086-13929598046 | 0086-18922303099

Email: hk@acmasindia.com

SHOWROOM

141, Rai Industrial Estate, Rai, Sonapat, Haryana-131029, INDIA

Tel: 0091-0-9312219738 (M) +91-9717741167

Email: info@acmasindia.com

SALES OFFICE (RUSSIA)

Inmed Trade Street, Ozerkovsky Embankment, Unit No 50 Straine-1, Off-502, Moscow, RUSSIA

Tel: 0049-79592345 | Email: russia@acmasindia.com